

Atlas 30

Balanced Fluid Head



Ronford-Baker

CAMERA SUPPORT TECHNOLOGY

Atlas 30

Balanced Fluid Head



The "Atlas 30" is a completely new design head, with a patented counterbalance system.

Capable of taking camera's up to 30 Kgs (66 lbs)
@ 25 cm (10") above the heads pivotal centre.
Operated by a single control knob, from 0 - 100%.

Incorporating the well proven Ronford-Baker fluid system, with 7 stages of fluid control on pan & tilt.
With a zero (free) position.

These give unprecedented smoothness & accuracy of control & balance under all situations.

- ▶ Tilt range + & - 90 degrees
- ▶ Pan range 360 degrees continuous
- ▶ Pan bar mounts. Two on ratchet discs
- ▶ Lifting handles: Yes
- ▶ Head bases 150 m/m or Mitchell (adaptor)
- ▶ Stand off protection on both sides of the head.
- ▶ Sand proof sealed.
- ▶ Camera mountings Arri Dovetail slide or 2 x Sliding Quick release plates.
Short plate has 7" / 18 cm movement.
The long plate has 13" / 33 cm movement.
- ▶ Fluid system, 7 steps pan & tilt with zero positions at either end of the scale.
- ▶ Counterbalance can also go into "Free" position.
- ▶ Spirit level with Tritium light source.
- ▶ Adjustable Eyepiece levelling bracket.
- ▶ Smooth positive braking on pan & tilt.



Technical Specifications:

Weight:	9 Kgs / 19.80 lbs.
Height:	26 cm / 10 1/4"
From tripod top with ball fitting:	20 cm / 8"
With Mitchell fitting:	25 cm / 9 3/4"
Width:	23 cm / 9"
Depth:	18 cm / 7"
Maximum load:	30 Kgs



Ronford-Baker

C A M E R A S U P P O R T T E C H N O L O G Y

Ronford-Baker Engineering Company Ltd

Unit 5, Kingley Park, Station Road, Kings Langley,
Hertfordshire, WD4 8GW, UK.

Web: www.ronfordbaker.co.uk

Tel: +44(0)208 428 5941

Fax: +44(0)208 428 4743

Email: info@ronfordbaker.co.uk